

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	77026	(method\$5 process\$4 steps procedure\$1) same (identif\$5 determin\$5 measur\$5 trac\$5 discover\$4) same (flow\$3 path\$1) same (source start first initial origin\$2) same (destination end terminat\$5 last next second final)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:55
S2	4112	((method\$5 process\$4 steps procedure\$1) same (identif\$5 determin\$5 measur\$5 trac\$5 discover\$4) same (flow\$3 path\$1) same (source start first initial origin\$2) same (destination end terminat\$5 last next second final)) and ((compar\$5 match\$5 associat\$5 link\$3 relat\$4 equat\$4) with (source start first initial origin\$2) with address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:41
S3	644	((method\$5 process\$4 steps procedure\$1) same (identif\$5 determin\$5 measur\$5 trac\$5 discover\$4) same (flow\$3 path\$1) same (source start first initial origin\$2) same (destination end terminat\$5 last next second final)) and ((compar\$5 match\$5 associat\$5 link\$3 relat\$4 equat\$4) with (source start first initial origin\$2) with address\$5)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:41
S4	43	((method\$5 process\$4 steps procedure\$1) same (identif\$5 determin\$5 measur\$5 trac\$5 discover\$4) same (flow\$3 path\$1) same (source start first initial origin\$2) same (destination end terminat\$5 last next second final)) and ((compar\$5 match\$5 associat\$5 link\$3 relat\$4 equat\$4) with (source start first initial origin\$2) with address\$5)) and "709"/\$.ccls.) and ((service adj level adj agreement\$1) SLA\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:43
S5	14180	(method\$5 process\$4 steps procedure\$1) with (identif\$5 determin\$5 measur\$5 trac\$5 discover\$4) with (flow\$3 path\$1) with (source start first initial origin\$2) same (destination end terminat\$5 last next second final)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:57

S6	192446	(service adj level adj agreement\$1) SLA\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:01
S7	15	((service adj level adj agreement\$1) SLA\$1) with (network adj monitor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:04
S8	35	((service adj level adj agreement\$1) SLA\$1) same (network adj monitor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:22
S9	4016	network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow trffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 11:47
S10	770	(network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow trffic)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:25
S11	716	(network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow trffic)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:25
S12	241	(network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow trffic)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:26
S13	8	((network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow trffic)).ti.) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:29
S14	58	((network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow trffic)).ab.) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:42
S15	3300	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:42

S16	233	network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow traffic) and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 12:07
S17	2	"5982748".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 12:08
S18	2	"5798949".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 12:08
S19	2	09/745260	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 14:28
S20	2	09/438680	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 14:42
S21	185	network with (flow adj (sampl\$5 identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 14:56
S22	7	network with (flow adj (sampl\$5 identif\$5)) and (compar\$ing with address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 15:25
S23	0	(actual near (traffic adj flow)) and "6286052".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:00
S24	120	source\$1 with destination\$1 with correlat\$5 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:04
S25	0	source\$1 with destination\$1 with correlat\$5 with address\$2 with sent with received	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:05

S26	17	source\$1 with destination\$1 with (compar\$5 associat\$5) with address\$2 with sent with received	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:17
S27	2	"6363477".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:21
S28	3	identif\$5 same flow same (compar\$5 with destination with addresses with packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:22
S29	3	(identif\$5 monitor\$5) same flow same (compar\$5 with destination with addresses with packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:24
S30	10	(identif\$5 monitor\$5) same flow same ((compar\$5 associat\$5 correlat\$5 match\$5) with destination with addresses with packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:24
S31	1	"20030028611"	US-PGPUB	OR	OFF	2004/09/23 09:50
S32	937	(atm (asynchronous adj transfer adj mode)) same (VC (virtual adj circuit) VP (virtual adj path))	US-PGPUB	OR	OFF	2004/09/23 09:53
S33	180	(atm (asynchronous adj transfer adj mode)) same (VC (virtual adj circuit) VP (virtual adj path)) and (flow with (identif\$5 monitor\$5))	US-PGPUB	OR	OFF	2004/09/23 18:52
S34	1	"20020165956"	US-PGPUB	OR	OFF	2004/09/23 18:52
S35	1	"20020165956" and direction\$5	US-PGPUB	OR	OFF	2004/09/23 18:54
S36	0	packet\$1 with (time adj to adj live) with direction	US-PGPUB	OR	OFF	2004/09/23 18:55
S37	0	packet\$1 with (time adj to adj live) with direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:56
S38	0	packet\$1 same (time adj to adj live) same direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:57

S39	0	(time adj to adj live) same direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:57
S40	0	(time adj to adj live) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:58
S41	0	(time adj to adj live) and direction and flow and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:59
S42	0	(time adj to adj live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:59
S43	0	time adj to adj live	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:00
S44	0	time near to near live	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:07
S45	741	time-to-live	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:07
S46	1	time-to-live with direction with flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:08
S47	3	time-to-live with direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:27
S48	0	"20010050903" and flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:28

S49	29	((compress\$5) with network\$1 with address\$2) and (flow with (identif\$5 monitor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:21
S50	1	"6345307".pn. and address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:30
S51	1	"20020144156" and bit\$1	US-PGPUB	OR	OFF	2004/09/27 13:41
S52	353	(compress\$5) with network\$1 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:41
S53	353	((compress\$5) with network\$1 with address\$2)".ti",	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:41
S54	11	((compress\$5) with network\$1 with address\$2).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:13
S55	64	compress\$5 with address\$2 with significant with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:31
S56	259	compress\$5 with address\$2 with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:31
S57	3	(compress\$5 with address\$2 with IP).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:32
S58	41	(compress\$5 with address\$2 with IP).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:32
S59	464	709/247.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:04

S60	1	709/247.ccls. and ((network\$5) with (address\$2) with (combin\$5 join\$5 merg\$5) with (packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:32
S61	0	709/247.ccls. and ((network\$5 adj address\$2) same ((combin\$5 join\$5 merg\$5) with (packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:19
S62	0	709/247.ccls. and (((network\$5 adj address\$2) with (combin\$5 join\$5 merg\$5)) same (packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:19
S63	24	709/247.ccls. and ((network\$5 adj address\$2) same ((combin\$5 join\$5 merg\$5) with (packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:26
S64	0	"20020050903" and (network adj address\$2)	US-PGPUB	OR	OFF	2004/09/29 16:43
S65	0	(subnetwork adj address\$2) same bit\$1 same (destination adj address\$2)	US-PGPUB	OR	OFF	2004/09/29 16:53
S66	18	(network adj address\$2) with bit\$1 with (destination adj address\$2)	US-PGPUB	OR	OFF	2004/09/29 17:23
S67	43	(network adj address\$2) same bit\$1 same (destination adj address\$2)	US-PGPUB	OR	OFF	2004/09/29 17:24
S68	42	(network adj address\$2) with bit\$1 with (destination adj address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:53
S69	4	(subnetwork adj address\$2) same bit\$1 same (destination adj address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:00
S70	1	"6065064".pn. and (LSB (least adj significant adj bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:07
S71	0	"6065064".pn. and (LSB (least adj significant adj bit\$1)) and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:07

S72	1	((network adj address\$2) with bit\$1 with (destination adj address\$2)) same class\$4	US-PGPUB	OR	OFF	2004/09/29 17:24
S73	2	((network adj address\$2) same bit\$1 same (destination adj address\$2)) same class\$4	US-PGPUB	OR	OFF	2004/09/29 17:24
S74	141	((network\$5 adj address\$2) same ((combin\$5 join\$5 merg\$5) with (packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:27
S75	76	709/247.ccls. and (compress\$5 with address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:33
S76	16	709/247.ccls. and ((compress\$5 with address\$2).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:43
S77	2	"6304914".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:36
S78	0	709/247.ccls. and ((network adj address\$2) with bit\$1 with class\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:44
S79	40	((network adj address\$2) with bit\$1 with class\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:44
S80	1770	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 11:47
S81	93	709/238.ccls. and (network with (monitor\$5 analyz\$5 determin\$5 analyz\$5) with (flow trffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 11:48
S86	6	(CIDR (classless adj inter-domain adj routing)) and (address\$4 with (mask\$5 compress\$5 merg\$5)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 10:19

S87	17	(CIDR (classless adj inter-domain adj routing)) and (address\$4 with (mask\$5 compress\$5 merg\$5)). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 11:39
S88	1	"6237061".pn. and (LSB (least adj significant adj bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 10:26
S89	1	(flow adj identifier\$1) and "6847613".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 11:39